



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL239-R11
Application Type	Revision
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	PGT Industries
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 480-1600 Ext 21124 lturner@pgtindustries.com
Authorized Signature	Lucas Turner lturner@pgtindustries.com
Technical Representative	Lucas A. Turner
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 480-1600 lturner@pgtindustries.com
Quality Assurance Representative	
Address/Phone/Email	



Category	Windows	
Subcategory	Single Hung	
Compliance Method	Certification Mark or Listing	
Certification Agency	Miami-Dade BCCO - CER	
Validated By		
Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	TAS 201, 202, 203	1994
	TAS 202	1994
Equivalence of Product Standards Certified By		
Product Approval Method	Method 1 Option A	
Date Submitted	01/09/2008	
Date Validated	02/14/2008	
Date Pending FBC Approval	02/14/2008	
Date Approved	03/18/2008	

Summary of Products		
FL #	Model, Number or Name	Description
239.1	SH-3000 (Large Missile Impact)	Architectural Systems Aluminum Single Hung Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #07-0905.02 for product performance information, anchorage details, and anchor type, size, and spacing information. HVHZ must follow all provisions identified as "Miami-Dade" on the NOA drawings.		Certification Agency Certificate FL239_R11_C_CAC_3000-LM-07-0905-02.pdf Quality Assurance Contract Expiration Date Installation Instructions FL239_R11_II_3000-LM-07-0905-02.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
239.2	SH-3000 (Small Missile Impact)	Architectural Systems Aluminum Single Hung Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #07-0905.03 for product performance information, anchorage details, and anchor type, size, and spacing information. HVHZ must follow all provisions identified as "Miami-Dade" on the NOA drawings.		Certification Agency Certificate FL239_R11_C_CAC_3000-SM-07-0905-03.pdf Quality Assurance Contract Expiration Date Installation Instructions FL239_R11_II_3000-SM-07-0905-03.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
239.3	SH-4000 (Non-Impact, Heavy Duty Meeting Rail)	Aluminum Single Hung Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #06-0706.03 for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL239_R11_C_CAC_4000-HDMR-06-0706-03.pdf Quality Assurance Contract Expiration Date Installation Instructions FL239_R11_II_4000-HDMR-06-0706-03.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
239.4	SH-4000 (Non-Impact, Standard Meeting Rail)	Aluminum Single Hung Window

<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #06-0706.04 for product performance information, anchorage details, and anchor type, size, and spacing information.</p>		<p>Certification Agency Certificate FL239_R11_C_CAC_4000-06-0706-04.pdf Quality Assurance Contract Expiration Date</p> <p>Installation Instructions FL239_R11_II_4000-06-0706-04.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>
239.5	SH-600 (Non-Impact)	Aluminum Single Hung Window
<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Formerly known as SH-701. Please see Miami-Dade County Notice of Acceptance (NOA) #06-1211.07 for product performance information, anchorage details, and anchor type, size, and spacing information.</p>		<p>Certification Agency Certificate FL239_R11_C_CAC_600-06-1211-07.pdf Quality Assurance Contract Expiration Date</p> <p>Installation Instructions FL239_R11_II_600-06-1211-07.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>
239.6	SH-700 (Impact)	WinGuard Aluminum Single Hung Window
<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Formerly known as SH-701. Please see Miami-Dade County Notice of Acceptance (NOA) #07-0322.06 for product performance information, anchorage details, and anchor type, size, and spacing information.</p>		<p>Certification Agency Certificate FL239_R11_C_CAC_700-07-0322-06.pdf Quality Assurance Contract Expiration Date</p> <p>Installation Instructions FL239_R11_II_700-07-0322-06.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>
239.7	SH-800 (Large Missile Impact)	Multi-Story Aluminum Single Hung Window
<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #07-0801.03 for product performance information, anchorage details, and anchor type, size, and spacing information. HVHZ must follow all provisions identified as "Miami-Dade" on the NOA drawings.</p>		<p>Certification Agency Certificate FL239_R11_C_CAC_800-LM-07-0801-03.PDF Quality Assurance Contract Expiration Date</p> <p>Installation Instructions FL239_R11_II_800-LM-07-0801-03.PDF Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>

239.8	SH-800 (Small Missile Impact)	Multi-Story Aluminum Single Hung Window
<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #07-0306.11 for product performance information, anchorage details, and anchor type, size, and spacing information. HVHZ must follow all provisions identified as "Miami-Dade" on the NOA drawings.</p>		<p>Certification Agency Certificate FL239_R11_C_CAC_800-SM-07-0306-11.pdf Quality Assurance Contract Expiration Date Installation Instructions FL239_R11_II_800-SM-07-0306-11.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>

[Back](#) [Next](#)

DCA Administration
 Department of Community Affairs
 Florida Building Code Online
 Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

