



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL2766-R5
Application Type	Revision
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	PGT Industries
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 480-1600 Ext 21124 lturner@pgtindustries.com
Authorized Signature	Lucas Turner lturner@pgtindustries.com
Technical Representative	Lucas A. Turner
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 480-1600 lturner@pgtindustries.com
Quality Assurance Representative	
Address/Phone/Email	



Category	Windows	
Subcategory	Projected	
Compliance Method	Certification Mark or Listing	
Certification Agency	Miami-Dade BCCO - CER	
Validated By		
Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	TAS 201, 202, 203	1994
	TAS 202	1994
Equivalence of Product Standards Certified By		
Product Approval Method	Method 1 Option A	
Date Submitted	09/22/2006	
Date Validated	09/22/2006	
Date Pending FBC Approval	09/25/2006	
Date Approved	10/11/2006	

Summary of Products		
FL #	Model, Number or Name	Description
2766.1	CA-640 Projected (Non-Impact)	Aluminum Casement Projected Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #05-1129.12 for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL2766_R5_C_CAC_640-05-1129-12.pdf Quality Assurance Contract Expiration Date Installation Instructions FL2766_R5_II_640-05-1129-12.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
2766.2	CA-740 Projected (Impact)	WinGuard Aluminum Casement Projected Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: Please see Miami-Dade County Notice of Acceptance (NOA) #05-1129.10 for product performance information, anchorage details, and anchor type, size, and spacing information.		Certification Agency Certificate FL2766_R5_C_CAC_740-05-1129-10.pdf Quality Assurance Contract Expiration Date Installation Instructions FL2766_R5_II_740-05-1129-10.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

[Back](#) [Next](#)

DCA Administration
 Department of Community Affairs
 Florida Building Code Online
 Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

