



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL9644
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	
Product Manufacturer	PGT Industries
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 480-1600 Ext 21124 lturner@pgtindustries.com
Authorized Signature	Lucas Turner lturner@pgtindustries.com
Technical Representative	Lucas A. Turner
Address/Phone/Email	1070 Technology Drive Nokomis, FL 34275 (941) 480-1600 lturner@pgtindustries.com
Quality Assurance Representative	
Address/Phone/Email	



Category	Windows
Subcategory	Single Hung
Compliance Method	Certification Mark or Listing
Certification Agency	Keystone Certifications, Inc.
Validated By	

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	AAMA/WDMA/CSA 101/IS2/A440	2005
	ASTM E 1300	2002

Equivalence of Product Standards
Certified By

Product Approval Method	Method 1 Option A
-------------------------	-------------------

Date Submitted	09/12/2007
Date Validated	09/12/2007
Date Pending FBC Approval	09/16/2007
Date Approved	10/03/2007

Summary of Products		
FL #	Model, Number or Name	Description
9644.1	SH-800 (Non-Impact)	Multi-Story Aluminum Single Hung Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: Rating is H-LC80 for 53.125" x 76" flange tip-to-tip size (52.125" x 75" actual window buck size) with 3/16 Tempered glass in 1/1 or ProView format. Actual Design Pressures are +80/-110 psf without reinforcement or +80/-150 with meeting rail reinforcement. Please see test report ATI-76462-01-401-47-R0 for other product description and test information.		Certification Agency Certificate FL9644_RO_C_CAC_427.pdf FL9644_RO_C_CAC_428.pdf Quality Assurance Contract Expiration Date Installation Instructions FL9644_RO_II_76462-01-401-47-R0.pdf Verified By: Lucas A. Turner, P.E. FL PE #58201 Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

[Back](#) [Next](#)

DCA Administration
 Department of Community Affairs
 Florida Building Code Online
 Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

