



Visibly Better.®


VINYL DOUBLE HUNG WINDOW SIZE CHART AND STANDARD COLONIAL CONFIGURATIONS

COMMODITY

ACTUAL WINDOW WIDTH	18 ¹ / ₈	25 ¹ / ₂	36	52 ¹ / ₈
MASONRY OPENING	19 ⁷ / ₈	27 ¹ / ₄	37 ³ / ₄	53 ⁷ / ₈
WOOD FRAME OPENING	18 ³ / ₈	25 ³ / ₄	36 ¹ / ₄	52 ³ / ₈

ACTUAL WINDOW HEIGHT	MASONRY OPENING	WOOD FRAME OPENING	12	H32	22	32
25	26	25 ¹ / ₄				
37 ³ / ₈	38 ³ / ₈	37 ⁵ / ₈				
49 ⁵ / ₈	50 ⁵ / ₈	49 ⁷ / ₈				
62	63	62 ¹ / ₄				
75	76	75 ¹ / ₄				

Note: Openings calculated using 1/8" shim space (maximum 1/4" allowed), 1x bucks and pre-cast sills. If using poured sills add 3/4". Framing dimensions are calculated with drywall butted.



Brittany
(standard)



Brittany 9-lite
(custom)

Colonial lites for custom size units are determined by the following:		
Window width	17.500" - 30.999"	= 2 lites across
Window width	31.000" - 41.999"	= 3 lites across
Window width	42.000" - 52.125"	= 4 lites across
Window height	25.000" - 30.999"	= 1 lite down
Window height	31.000" - 75.000"	= 2 lites down




























Visibly Better.®


VINYL DOUBLE HUNG WINDOW SIZE CHART AND STANDARD COLONIAL CONFIGURATIONS

MODULAR

ACTUAL WINDOW WIDTH	23	31	39	43	47
MASONRY OPENING	24 ³ / ₄	32 ³ / ₄	40 ³ / ₄	44 ³ / ₄	48 ³ / ₄
WOOD FRAME OPENING	23 ¹ / ₄	31 ¹ / ₄	39 ¹ / ₄	43 ¹ / ₄	47 ¹ / ₄

25	26	25 ¹ / ₄					
			2022	2822	3422	3822	4022
37 ³ / ₈	38 ³ / ₈	37 ⁵ / ₈					
			2033	2833	3433	3833	4033
49 ⁵ / ₈	50 ⁵ / ₈	49 ⁷ / ₈					
			2043	2843	3443	3843	4043
62	63	62 ¹ / ₄					
			2053	2853	3453	3853	4053
75	76	75 ¹ / ₄					
			2064	2864	3464	3864	4064
ACTUAL WINDOW HEIGHT	MASONRY OPENING	WOOD FRAME OPENING					

Note: Openings calculated using 1/8" shim space (maximum 1/4" allowed), 1x bucks and pre-cast sills. If using poured sills add 3/4". Framing dimensions are calculated with drywall butted.



Brittany
(standard)



Brittany 9-lite
(custom)

Colonial lites for custom size units are determined by the following:		
Window width	17.500" - 30.999"	= 2 lites across
Window width	31.000" - 41.999"	= 3 lites across
Window width	42.000" - 52.125"	= 4 lites across
Window height	25.000" - 30.999"	= 1 lite down
Window height	31.000" - 75.000"	= 2 lites down



Visibly Better.®

VINYL DOUBLE HUNG WINDOW SIZE CHART AND STANDARD COLONIAL CONFIGURATIONS

NOMINAL

ACTUAL WINDOW WIDTH	19½	23½	27½	29½	31½	35½	39½	43½	47½
MASONRY OPENING	21¼	25¼	29¼	31¼	33¼	37¼	41¼	45¼	49¼
WOOD FRAME OPENING	19¾	23¾	27¾	29¾	31¾	35¾	39¾	43¾	47¾

ACTUAL WINDOW HEIGHT	35½	36½	35¾										
				1830	2030	2430	2630	2830	3030	3430	3830	4030	
	37½	38½	37¾										
				1832	2032	2432	2632	2832	3032	3432	3832	4032	
	43½	44½	43¾										
				1838	2038	2438	2638	2838	3038	3438	3838	4038	
	45½	46½	45¾										
				18310	20310	24310	26310	28310	30310	34310	38310	40310	
47½	48½	47¾											
			1840	2040	2440	2640	2840	3040	3440	3840	4040		
49½	50½	49¾											
			1842	2042	2442	2642	2842	3042	3442	3842	4042		
51½	52½	51¾											
			1844	2044	2444	2644	2844	3044	3444	3844	4044		
53½	54½	53¾											
			1846	2046	2446	2646	2846	3046	3446	3846	4046		
	MASONRY OPENING	WOOD FRAME OPENING											

Note: Openings calculated using 1/8" shim space (maximum 1/4" allowed), 1x bucks and pre-cast sills. If using poured sills add 3/4". Framing dimensions are calculated with drywall butted.

Colonial lites for custom size units are determined by the following:		
Window width	17.500" - 30.999"	= 2 lites across
Window width	31.000" - 41.999"	= 3 lites across
Window width	42.000" - 52.125"	= 4 lites across
Window height	25.000" - 30.999"	= 1 lite down
Window height	31.000" - 75.000"	= 2 lites down



Visibly Better.®


VINYL DOUBLE HUNG WINDOW SIZE CHART AND STANDARD COLONIAL CONFIGURATIONS

NOMINAL (Continued)

ACTUAL WINDOW WIDTH	19 ¹ / ₂	23 ¹ / ₂	27 ¹ / ₂	29 ¹ / ₂	31 ¹ / ₂	35 ¹ / ₂	39 ¹ / ₂	43 ¹ / ₂	47 ¹ / ₂
MASONRY OPENING	21 ¹ / ₄	25 ¹ / ₄	29 ¹ / ₄	31 ¹ / ₄	33 ³ / ₄	37 ¹ / ₄	41 ¹ / ₄	45 ¹ / ₄	49 ¹ / ₄
WOOD FRAME OPENING	19 ³ / ₄	23 ³ / ₄	27 ³ / ₄	29 ³ / ₄	31 ³ / ₄	35 ³ / ₄	39 ³ / ₄	43 ³ / ₄	47 ³ / ₄

ACTUAL WINDOW HEIGHT	MASONRY OPENING	WOOD FRAME OPENING	59 ¹ / ₂	60 ¹ / ₂	59 ³ / ₄									
			1850	2050	2450	2650	2850	3050	3450	3850	4050			
			61 ¹ / ₂	62 ¹ / ₂	61 ³ / ₄									
			1852	2052	2452	2652	2852	3052	3452	3852	4052			
			65 ¹ / ₂	66 ¹ / ₂	65 ³ / ₄									
1856	2056	2456	2656	2856	3056	3456	3856	4056						
71 ¹ / ₂	72 ¹ / ₂	71 ³ / ₄												
1860	2060	2460	2660	2860	3060	3460	3860	4060						
73 ¹ / ₂	74 ¹ / ₂	73 ³ / ₄												
1862	2062	2462	2662	2862	3062	3462	3862	4062						

Note: Openings calculated using 1/8" shim space (maximum 1/4" allowed), 1x bucks and pre-cast sills. If using poured sills add 3/4". Framing dimensions are calculated with drywall butted.



Brittany
(standard)



Brittany 9-lite
(custom)

Colonial lites for custom size units are determined by the following:		
Window width	17.500" - 30.999"	= 2 lites across
Window width	31.000" - 41.999"	= 3 lites across
Window width	42.000" - 52.125"	= 4 lites across
Window height	25.000" - 30.999"	= 1 lite down
Window height	31.000" - 75.000"	= 2 lites down