DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY, FLORIDA PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 T (786) 315–2590 F (786) 315–2599

www.miamidade.gov/economy

PGT Industries 1070 Technology Drive North Venice, FL 34275

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami-Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami-Dade County) and/or the AHJ (in areas other than Miami-Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "SGD-3030" Aluminum Sliding Glass Door - S.M.I.

APPROVAL DOCUMENT: Drawing No. **3030–SM–165**, titled "Alum. SGD Series 3030, (Small Missile)", sheets 1 through 18 of 18, dated 08/01/07, with revision "C" dated 10/13/11, prepared by manufacturer, signed and sealed by Anthony Lynn Miller, P.E., bearing the Miami–Dade County Product Control Section Renewal stamp with the Notice of Acceptance number and expiration date by the Miami–Dade County Product Control Section.

MISSILE IMPACT RATING: Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

REVISION of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA No. 11-1018.10 and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by Manuel Perez, P. E.

MIAMI-DADE COUNTY
APPROVED

101/04/13

NOA No. 12–1114.04 Expiration Date: February 14, 2018 Approval Date: January 10, 2013 Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

- 1. Manufacturer's die drawings and sections.
- 2. Drawing No. 3030–SM–165, titled "Alum. SGD Series 3030, (Small Missile)", sheets 1 through 18 of 18, dated 08/01/07, with revision "C" dated 10/13/11, prepared by manufacturer, signed and sealed by Anthony Lynn Miller, P.E. (Submitted under previous NOA No. 11–1018.10)

B. TESTS

- 1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202–94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Small Missile Impact Test per FBC, TAS 201-94
 - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 7) Forced Entry Test, SGD types A-A, B-A and C-A, per ASTM F 842-04 and FBC 2411 3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of an aluminum sliding glass door, prepared by Architectural Testing, Inc., Test Report No. ATI-72125.01-401-18-R-1, revision "1" dated 11/15/07, signed and sealed by Joseph A. Reed, P.E. (Submitted under previous NOA No.07-0905.04)

- 2. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202–94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Small Missile Impact Test per FBC, TAS 201-94
 - 6) Cyclic Wind Pressure Loading per FBC, TAS 203-94
 - 7) Forced Entry Test, SGD types A-A, B-A and C-A, per ASTM F 842-04 and FBC 2411 3.2.1, TAS 202-94

along with marked-up drawings and installation diagram of an aluminum sliding glass door, prepared by Architectural Testing, Inc., Test Report No. **ATI-72125.01–401–18**, dated 08/20/07, signed and sealed by Joseph A. Reed, P.E.

(Submitted under previous NOA No. 07-0905.04)

C. CALCULATIONS

1. Anchor verification calculations and structural analysis, complying with FBC, prepared by PGT Industries, dated 08/27/07, signed and sealed by Robert L. Clark, P.E.

(Submitted under previous NOA No. 07-0905.04)

2. Glazing complies with ASTM E1300-02/04

Manuel Perez, P. R. Product Control Examiner NOA No. 12–1114.04

Expiration Date: February 14, 2018 Approval Date: January 10, 2013

E-1

PGT Industries

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

D. QUALITY ASSURANCE

1. Miami–Dade Department of Regulatory and Economic Resources (RER).

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 11–0624.02 issued to E.I. DuPont DeNemours & Co., Inc. for their "DuPont SentryGlas® Interlayer" dated 08/25/11, expiring on 01/14/17.

F. STATEMENTS

- 1. Statement letter of conformance, complying with the **FBC–2010**, issued by manufacture, dated 11/06/12, signed and sealed by Anthony Lynn Miller, P. E.
- 2. Statement letter of no financial interest, issued by manufacture, dated 11/06/12, signed and sealed by Anthony Lynn Miller, P.E.
- 3. Letter of Adoption of as his Own, the Work of another Engineer per Section 61G15–27 of the FBPE, dated 10/07/11 signed and sealed by Anthony Lynn Miller, P. E. (Submitted under previous NOA No. 11–1018.10)
- 4. Statement letter of no financial interest, conformance and compliance with the FBC, dated 08/23/07, signed and sealed by Robert L. Clark, P. E. (Submitted under previous NOA No. 07-0905.04)
- 5. Laboratory compliance letter for Test Report No. ATI 72125.01–401–18–R–1, issued by Architectural Testing, Inc., dated 08/20/07, revision "1" dated 11/15/07, signed and sealed by Joseph A. Reed, P. E.
- (Submitted under previous NOA No.07-0905.049)
 6. Laboratory compliance letter for Test Report No. ATI 72125.01-401-18, issued by Architectural Testing, Inc., dated 08/20/07, signed and sealed by Joseph A. Reed, P. E.

(Submitted under previous NOA No. 07-0905.04)

G. OTHERS


1. Notice of Acceptance No. 11–1018.10, issued to PGT Industries for their Series "SGD–3030" Aluminum Sliding Glass Door – S.M.I., approved on 11/17/11 and expiring on 02/14/13.

Manuel Perez, P.E.
Product Control Examiner
NOA No. 12–1114.04

Expiration Date: February 14, 2018 Approval Date: January 10, 2013

GENERAL NOTES: SMALL MISSILE IMPACT SLIDING GLASS DOOR

- 1. GLAZING OPTIONS: 9/16" LAMINATED GLASS CONSISTING OF (2) LITES OF 1/4" HEAT STRENGTHENED GLASS WITH AN .090 SGP (DUPONT SENTRYGLAS PLUS) INTERLAYER.
- 2. CONFIGURATIONS: OX, XO, OXO, OXXO
- 3. DESIGN PRESSURES: SEE TABLE
- A. NEGATIVE DESIGN LOADS BASED ON TESTED PRESSURE AND GLASS TABLES ASTM E 1300-02.
- B. POSITIVE DESIGN LOADS BASED ON TESTED PRESSURE, WATER TEST PRESSURE AND GLASS TABLES ASTM E 1300-02.
- 4. ANCHORAGE: THE 33 1/3% STRESS INCREASE <u>HAS NOT</u> BEEN USED IN THE DESIGN OF THIS PRODUCT. MATERIALS, INCLUDING BUT NOT LIMITED TO STEEL SCREWS, THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENTS OF THE FLORIDA BUILDING CODE. FOR ANCHORAGE DETAILS SEE SHEETS 12-15.
- 5. SHUTTER REQUIREMENT: ABOVE 30 FT., SHUTTERS ARE NOT REQUIRED.
- 6. INSTALLATION SCREWS, FRAME AND PANEL CORNERS TO BE SEALED
- 7. REFERENCES: TEST REPORTS, (ATI) 72138.01-401-18; ELCO TEXTRON NOA: 04-0721.01, 03-0225.05; ANSI/AF&PA NDS-2005 FOR WOOD CONSTRUCTION; ADM-2005 ALUMINUM DESIGN MANUAL
- 8. THIS PRODUCT HAS BEEN DESIGNED & TESTED TO COMPLY WITH THE REQUIREMENTS OF THE FLORIDA BUILDING CODE, INCLUDING THE HIGH VELOCITY HURRICANE ZONE (HVHZ).
- 9. THE MINIMUM WIDTH FOR THE OPERABLE DOOR OF "MEANS OF EGRESS DOORS" MUST COMPLY WITH THE FLORIDA BUILDING CODE.
- 10. FOR CONCRETE OR CONCRETE BLOCK APPLICATIONS IN MIAMI-DADE COUNTY, USE ONLY MIAMI-DADE COUNTY APPROVED 5/16" ELCO TAPCONS. MINIMUM DISTANCE FROM ANCHOR TO CONCRETE EDGE IS 1-9/16". ANCHORS SHOULD NOT BE INSTALLED WITHIN 2.5" OF EACH OTHER. FOR WOOD APPLICATIONS IN MIAMI-DADE COUNTY, USE #14 WOOD SCREWS. SCREW THREADS MUST BE COMPLETELY EMBEDDED INTO SUBSTRATE.
- 11. QUALIFIED CONFIGURATIONS:



DESIGN PRESSURES		
(ALL SIZES & CONFIGURA	TIONS)	
GLASS TYPE	POS	NEG
9/16" HEAT STRENGTHENED LAMI	+165.0	-165.0
BASED ON 5/16" MASONRY ANCHOR	RS IN CON	CRETE
USING ANCHOR PLATE AND 1/4" SHI	MS. OTHE	R
ANCHOR TYPES AND SUBSTRATES	AVAILABL	.E,
SOME WITH DESIGN PRESSURE LIM	ITATIONS.	
SEE ENCLOSED SHEETS FOR SPEC	CIFICS.	

9/16" LAMINATED GLASS

34

GLAZING DETAIL

44

35

(21

EXTERIOR

Reved By: J.R. 11/05/07 A A. Changed notes, added configs

Reved By: Date: A B. Removed OXXO and OXO for 5 x 9

Revisions: B B. Removed OXXO and OXO for 5 x 9

Revisions: B Revisions: C FBC 2010 CODE CHANGE

Drawm By: Date: P.O. Box 1529

NOKOMIS, FL 34274

NOKOMIS, FL 34274



GENERAL NOTES, GLAZING DETAILS, DP

ALUM. SGD SERIES 3030, (SMALL MISSILE)

NOA DRAWING MAP

1/4" HEAT STRENGTHENED GLASS

(DUPONT SENTRYGLAS PLUS)

1/4" HEAT STRENGTHENED GLASS

.090 SGP INTERLAYER

33

.875" NOM.

GLASS BITE


GENERAL NOTES
EXTRUSIONS 8-9 PARTS DETAIL 10-11
CORNER ASSEMBLY 12 PANEL TYPES 12 ANCHORAGE 13-15
DP TABLES 16-18


PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No
Expiration Date


By
Mauric July
Miamy Dade Product Control


PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No
Expiration Date 98/19/20/3


By James Miami Dade Product Control














#	Dwg #	Description
1	13120	Main Frame Head
2	13121	Main Frame Sill
3	13122	Main Frame Jamb
4	13135	Fixed Panel Adapter Head
5	13136	Fixed Panel Adapter Sill
6	13133	Operable Panel Adapter Head
7	13134	Threshold
8	13132	Track
9	13139	Screw Cover
10	13123	Panel Top Rail
11	13124	Panel Bottom Rail
12	13125	Panel Side Rail
13	13126	Fixed Panel Interlock
14	13127	Operable Panel Interlock
15	13128	Astragal
- 16	13137	Top Rail Panel Adapter
17	13138	Bottom Rail Panel Adapter
18	13129	Interlock Add On
19	13131	Add On Handle
20	13130	Male Astragal
21	13025	9/16" Bead
22	8153	Roller Assembly
23	13146	C-1018 CR Steel Reinf. Sy=54 kpsi
24	4439	Gemini Lock
25	13150	SGD Anchor Plate
26	4437	Thumbturn
28	749	Reinforcement Spring Clip
29	13143	Handle Set
30	13144	Fixed Panel Gasket
31	61059	Weatherstrip .187 X .210 FS
32	1213	Weatherstrip .187 X .200 QLON
33	13115	Glazing Leg Gasket
34	6TP247	Bead Weatherstrip
35	1267	Setting Block
36	71695K	Panel Dust Plugs

#	Dwg#	Description
37	7PAD1626	Open Cell Foam Pad
38	71420X	1/4-20 x 1.25" Socket Head, SS
39	13021	#10 X 1.25" Ph, PH, SS
40	7103239	Tinnerman Nut, #10-32
41	710X34	#10 x 3/4" Ph, PH, SS SD
42	71032X	#10-32 x 1" Ph, FH, Self-Tap
43	13044	Panel Corner Key
44		Silicone Glazing GE7700 or Equiv.
45		Joint Sealant
46	1135	#10 x 3/4" Ph, PH, SS
47	8052	Cap Plug
48	4385	Bumper Stop
49	78X38	# 8 x 3/8" Tek
76	74356A	Fixed Panel Angle Bracket

#	Dwg #	Description (Screen)
59	1135	#10-32 X .875 PH Fl. MS
60	653	Jamb Keeper
62	1235	Weatherstrip .170 X .270 FS
63	668	Single Roller, SS
64	4341	X-Cam Latch
65	1692	Screen Spline
66		Screen Cloth, 18 X 16 Mesh
76	4356	Fixed Panel Clip
80	4317	Screen Frame Top Rail
81	4318	Screen Frame Bottom Rail
82	4319	Screen Frame Side Rail
85	4320	Screen Frame Interlock
86	4384	Screen Astragal Adapter
90	4424	Screen, 1-Track Frame, Sill
91	4425	Screen, 1-Track Frame, Head
92	4426	Screen, 1-Track Frame, Jamb

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No
Expiration Date

2 14 208 PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 11-1018.10
Expiration Date 02/14/20/3
By Lucy Inc.
Miami Dade Product Control No. 58705

No. 58705

No. 58705

STATE OF

FLORIDA

A. LYNN MILLER, P.E.

P.E.# 58705 Rev:

NOTE:

FOR SMALL MISSILE **APPLICATIONS ONLY**

Revsd By: J.R.	Date: 11/05/07	Revisions:	A. added s	crew sizes, reinforcement	Γ
Revsd By: J.R.	Date: 11/20/07	Revisions: B	B. No chan	iges this sheet.	10
Revsd By: J.J.	Date: 10/13/11	Revisions: C	NO CHAN	GE THIS SHEET	
Drawn By: J.R.	Date: 8/01/07	Checked By:	Date:		

1070 TECHNOLOGY DRIVE NOKOMIS, FL 34275 Visibly Better


SGD3030


P.O. BOX 1529 NOKOMIS, FL 34274

Description:
PARTS LIST

ALUM. SGD SERIES 3030, (SMALL MISSILE) Scale: Sheet: 7 of 18

3030-SM-165





FACTORY-INSTALLED HARDWARE

NOTE:

FOR SMALL MISSILE APPLICATIONS ONLY







22

34) <u>Bead Wstp.</u> 6TP247


(31) Wstp .187 x .210 FS

32) Wstp .187 x .200 QLON 6Q200K (1213)


33 Glazing Leg Gasket 13115




(38) <u>Panel Assembly Screw</u> 1/4-20 x 1.25" Socket Head, SS71420X114SHCFX




35 <u>Setting Block</u> 71267N (1267)



37 Open Cell Foam Pad 7PAD1626



28 <u>Reinforcement</u>
<u>Spring Clip</u>
749 (7BRKTM25)



22) Roller Assembly Side Mount Shown 8153 (78153N) PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No
Expiration Date
By
Miami Dade Product Control

PRODUCT REVISED as complying with the Florida Building Code

Acceptance No 11-1018-10
Expiration Date 02/14/2013

By Munim.

No. 58705

No. 58705

STATE OF

 Revsd By: J.R.
 Date: 11/05/07
 Revisions: A
 A. No changes this sheet
 1070 TECHNOLOGY DRIVE NOKOMIS, FL 34275

 Revsd By: J.J.
 Date: 10/13/11
 Revisions: B. No changes this sheet.
 1070 TECHNOLOGY DRIVE NOKOMIS, FL 34275

 P.O. BOX 1529 NOKOMIS, FL 34274
 P.O. BOX 1529 NOKOMIS, FL 34274



PARTS DETAIL							
ALUM. SGD SERIES 3030, (SMALL MISSILE)							
Series/Model:	Scale:	Sheet:			Drawing No.	Rev:	
SGD3030	1/4x	10	of	18	3030-SM-165	I C	

FIELD-INSTALLED HARDWARE





(25) 1/2" SS Keeper

4438

(24)



(39) Frame Assembly Screw #10 X 1.25" Ph, PH, SS 13021



(42) Mortise Latch/Roller Screw #10-32 x 1" Ph, FH, Self-Tap 71032X1FPFX




Interlock Screw #10 x 3/4" Ph. PH. SS SD 710X34PPSDAX





NOTE:


FOR SMALL MISSILE

Tinnerman Nut 7103239










(29) Handle Set (13143) DL915A (Bronze) DL915DU (Satin)



(45) Double Handle Nut 1137816 (13140)



Keeper Screw (46)#10 x 3/4" Ph. PH. SS 710X115PPX



4 Hole Bumper Stop 4385 (71164W, K, S)



Bumper StopScrew #8 x 3/8" Tek 78X38PPTX

SGD3030



(36) 1.5 X 1.0 X .75 **Dust Plug** 71695K


(76) Fixed Panel Angle Bracket 74356A



Cap Plug ⁾48052 (8052)

PRODUCT RENEWED as complying with the Florida

PRODUCT REVISED as complying with the Florida Acceptance, No 11-1018.10



Revsd By: Date: J.R. 11/05/07 A. No changes this sheet Revsd By: Date: J.R. 11/20/07 1070 TECHNOLOGY DRIVE evision B B. No changes this sheet. NOKOMIS, FL 34275 Revisio **C** 10/13/11 NO CHANGE THIS SHEET P.O. BOX 1529 NOKOMIS, FL 34274 Drawn By: Date: J.R. 8/01/07

Gemini Lock

78185X (4439)



PARTS DETAIL (CONT.)


ALUM. SGD SERIES 3030, (SMALL MISSILE)


C C NTS 11 of 18 3030-SM-165


NOTE:

FOR SMALL MISSILE APPLICATIONS ONLY

PANEL TYPES







PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No
Expiration Date

By
Miami Dade Product Control

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No
Expiration Date

22/14/29/3

Miami Dade Product Control

No. 58705

No. 58705

No. 58705

No. 58705

A JOINIL WARREN

STATE OF

FLORIDA

A LYNN MILLER, P.E.

P.E.#58705

Revsd By: J.R.		Revisions: A	A. No changes this sheet	
Revsd By: J.R.	Date: 11/20/07	Revisions: B	B. No changes this sheet.	1070 TECHNOLOGY DRIVE NOKOMIS. FL 34275
Revsd By: J.J.	Date: 10/13/11	Revisions: C	NO CHANGE THIS SHEET	P.O. BOX 1529
Drawn By: J.R.	Date: 8/01/07	Checked By:	Date:	NOKOMIŠ, FL 34274





PANEL TYPE	S & CORNER ASSEMBLY
Title*	

ALUM. SG	D SEF	RIES 3030,	(SMALL MISSILE))
Series/Model:	Scale:	Sheet:	Drawina No.	Rev:

 Series/Model:
 Scale:
 Sheet:
 Drawing No.
 Rev:

 SGD3030
 NTS
 12 of 18
 3030-SM-165
 C





PRODUCT REVISED

as complying with the Florida

Miami Dade Product Control

Acceptance No 11-1018.10

WILLIAM


A. LYNN MILLER, P.E. P.E.# 58705


Expiration Date 02/14/2013

NOTES:

- 1. FOR CONCRETE APPLICATIONS IN MIAMI-DADE COUNTY, USE ONLY MIAMI-DADE COUNTY APPROVED ANCHORS. SEE TYPE ON FOLLOWING SHEETS. 2. FOR WOOD APPLICATIONS USE #14 WOOD SCREWS. 5/16" ELCO TAPCONS MAY BE USED INSTEAD OF #14 SCREWS.
- 3. WOOD BUCKS DEPICTED AS 1x ARE LESS THAN 1 1/2" THICK. 1x WOOD BUCKS ARE OPTIONAL IF UNIT IS INSTALLED DIRECTLY TO SOLID CONCRETE. WOOD BUCKS DEPICTED AS 2x ARE 1 1/2" THICK OR GREATER. INSTALLATION TO THE SUBSTRATE OF WOOD BUCKS TO BE ENGINEERED BY OTHERS OR AS APPROVED BY THE AUTHORITY HAVING JURISDICTION (AHJ).
- 2. FOR ATTACHMENT TO ALUMINUM: THE MATERIAL SHALL BE A MINIMUM STRENGTH OF 6063-T5 AND A MINIMUM OF 1/8" THICK. THE ALUMINUM STRUCTURAL MEMBER SHALL BE OF A SIZE TO PROVIDE FULL SUPPORT TO THE WINDOW FRAME SIMILAR TO THAT SHOWN IN THESE DETAILS FOR 2x WOOD BUCKS. SHIMS MAY NOT BE USED. THE ANCHOR SHALL BE A #14 SHEET METAL SCREW WITH FULL ENGAGEMENT INTO THE ALUMINUM. IF THESE CRITERIA ARE MET, THE RESPECTIVE DESIGN PRESSURES, ANCHORAGE SPACING AND QUANTITIES FOR A #14 WOOD SCREW MAY BE USED.
- 5. IF SILL IS TIGHT TO SUBSTRATE, GROUT OR OTHER MATERIAL IS NOT REQUIRED. IF USED, NON-SHRINK, NON-METALLIC GROUT, 3500 PSI MIN., (DONE BYOTHERS) MUST FULLY SUPPORT THE ENTIRE LENGTH OF THE SILL THAT IS NOT TIGHT TO THE SUBSTRATE, AND TRANSFER SHEAR LOAD TO SUBSTRATE. IF SUBSTRATE IS WOOD, 30# FELT PAPER OR MASTIC IS REQUIRED BETWEEN THE GROUT AND WOOD SUBSTRATE, OR AS APPROVED BY THE AUTHORITY HAVING JURISDICTION. GROUT MAXIMUM THICKNESS TO BE .25".

- 1											
	Revsd By: J.R.		Revisions:	A. Changed anchors to 5/16" Tapcon and wood screw,			Description:	05.0	ETAU O	OONT.)	
	Revsd By: J.R.	Date: 11/20/07	Revisions: B	B. No changes this sheet.	1070 TECHNOLOGY DRIVE NOKOMIS, FL 34275		ANCHORA	GE DI	ETAILS (CONT.)	
	Revsd By: J.J.	Date: 10/13/11	Revisions:	NO CHANGE THIS SHEET	P.O. BOX 1529		ALUM. SG	D SER	RIES 303	O, (SMALL MISSILE	Ξ)
	Drawn By: J.R.	Date: 8/01/07	Checked By:	Date:	NOKOMIS, FL 34274	Visibly Better	Series/Model: SGD3030	Scale:	Sheet: 14 of 18	Drawing No. 3030-SM-165	Rev:





ANCHOR PLATE NOTES:

1. THE ANCHOR PLATE IS TO BE USED WHEN SPECIFIED BY THE CHART. ANCHOR CAPACITY IS CRUCIAL TO THE USE OF THE ANCHOR PLATE.

2. THE ANCHOR PLATE IS ONLY OPTIONAL WHEN USING 5/16" TAPCONS. GREATER ANCHOR QUANTITIES MUST BE USED, AS LISTED IN THE CHART.

INSTRUCTIONS ON USING THE ANCHORAGE TABLES:

- 1. DETERMINE THE DESIGN PRESSURE REQUIRED AND CHOOSE THE APPROPRIATE CHART.
- 2. USING THE NOMINAL PANEL SIZE, AND THE PREDETERMINED ANCHORAGE TYPE, FIND THE REQUIRED ANCHORAGE QUANTITY.
- 3. INSTALL WITH THE ANCHOR CONDITIONS OF THE NOTES AND DETAILS OF SHEETS 13 & 14 OF 18.

vsd By: Date: J.R. 11/05/07 evision **A** A. Added notes 070 TECHNOLOGY DRIVE evisioi B B. No changes this sheet. J.R. 11/20/07 NOKOMIS, FL 34275 C J.J. 10/13/11 NO CHANGE THIS SHEET P.O. BOX 1529 NOKOMIS, FL 34274 8/01/07 J.R.

C8+10

18

TOTAL # OF ANCHORS

AT THE PANEL CENTER

THROUGH THE HEAD &

SILL (NOT INC. CORNER

ANCHORAGE)

TOTAL # OF ANCHORS

CORNER ANCHORAGE)

LENGTH OF THE JAMB (INC.

THROUGH THE FULL

TABLE KEY

TOTAL # OF ANCHORS

THROUGH THE HEAD

AND RIGHT OF PANEL

& SILL, TO THE LEFT

MEETING POINT

Visibly Better SGD3030

ANCHOR QUANTITIES FOR 165 DP

NTS | 16 or 18

ALUM. SGD SERIES 3030, (SMALL MISSILE)

3030-SM-165


NOTE:

FOR SMALL MISSILE APPLICATIONS ONLY

ANCHOR TYPES: 1a. 5/16" ELCO TAPCON WITH ANCHOR PLATE 1b. 5/16" ELCO TAPCON WITHOUT ANCHOR PLATE 2. 1/4" ELCO S.S. CRETEFLEX WITH **ANCHOR PLATE** 3. #14 WOOD SCREWS. INTO WOOD WITH ANCHOR PLATE

PRODUCT RENEWED as complying with the Florida Building Code Acceptance No 12 - 1114.04 Expiration Date 2/14 2018 Building Code

PRODUCT REVISED as complying with the Florida **Building Code** Acceptance No. 11-1018.10
Expiration Date 02/14/20/3






TABLE KEY

TOTAL # OF ANCHORS
THROUGH THE HEAD
& SILL, TO THE LEFT AND RIGHT OF PANEL
MEETING POINT

TOTAL # OF ANCHORS AT THE PANEL CENTER THROUGH THE HEAD & SILL (NOT INC. CORNER ANCHORAGE)

TOTAL # OF ANCHORS
THROUGH THE FULL
LENGTH OF THE JAMB (INC.
CORNER ANCHORAGE)

ANCHOR PLATE NOTES:

1. THE ANCHOR PLATE IS TO BE USED WHEN SPECIFIED BY THE CHART. ANCHOR CAPACITY IS CRUCIAL TO THE USE OF THE ANCHOR PLATE.

2. THE ANCHOR PLATE IS ONLY OPTIONAL WHEN USING 5/16" TAPCONS. GREATER ANCHOR QUANTITIES MUST BE USED, AS LISTED IN THE CHART.

INSTRUCTIONS ON USING THE ANCHORAGE TABLES:

- 1. DETERMINE THE DESIGN PRESSURE REQUIRED AND CHOOSE THE APPROPRIATE CHART.
- 2. USING THE NOMINAL PANEL SIZE, AND THE PREDETERMINED ANCHORAGE TYPE, FIND THE REQUIRED ANCHORAGE QUANTITY.
- 3. INSTALL WITH THE ANCHOR CONDITIONS OF THE NOTES AND DETAILS OF SHEETS 13 & 14 OF 18.

 Revsd By:
 J.R.
 11/05/07
 Revisions:
 A. Added notes

 Revsd By:
 J.R.
 11/20/07
 Revisions:
 B. No changes this sheet.

 J.D.
 10/13/11
 C
 NO CHANGE THIS SHEET

 Drawn By:
 Date:
 Checked By:
 Date:

 J.R.
 8/01/07
 Checked By:
 Date:

C8+10

18



ANCHOR QUANTITIES FOR 150 DP

ALUM. SGD SERIES 3030, (SMALL MISSILE)

NOTE:

FOR SMALL MISSILE APPLICATIONS ONLY

ANCHOR TYPES:
1a. 5/16" ELCO TAPCON
WITH ANCHOR PLATE
1b. 5/16" ELCO TAPCON
WITHOUT ANCHOR PLATE
2. 1/4" ELCO S.S.
CRETEFLEX WITH
ANCHOR PLATE
3. #14 WOOD SCREWS,
INTO WOOD WITH
ANCHOR PLATE

PRODUCT RENEWED
as complying with the Florida
Building Code
Acceptance No 12-1114. 94
Expiration Date 02/14/2018

By Waturel 24
Miami Wade Product Control

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No
Expiration Date
By
Miami Dade Product Control

